WELD ON LIFTING POINT - VRBK LOAD RING



Complies with the machinery directives 2006/42/EC



NB: Please ensure that the safety instructions have been fully read and understood before initial use of the VRBK weld-on lifting point. Failure to do so may result in serious injuries and/or material damage and eliminates manufacturers warranty.

User Instructions - Part 1

Safety instructions

This safety instruction/declaration of the manufacturer must be kept on file for the lifetime of the product.

ATTENTION: Please inspect all lifting points prior to use. Damage, incorrect assembly or improper use may result in serious injuries and/or material damage.

EC-Declaration of the manufacturer

According to the Machinery Directive 2006/42/EC, annex II B and amendments.

We hereby declare that the design and construction of the equipment detailed within this document, adheres to the appropriate level of health and safety of the corresponding EC regulation.

Any un-authorised modification and/or any incorrect use of the equipment not adhered to within these user instructions waivers this declaration invalid.

The equipment must be regularly tested and inspected as per BGR 500. Failure to carry out the recommended maintenance and testing waivers this declaration invalid.

Designation of the equipment:

Type: VRBK weld-on lifting point

Manufacturer's mark: (30)

Drawings (iges, dxf and step), product information and other support material can be downloaded from www.rud.com.au.

		B RUD		
	EG-Declaration of	the manufacturer		
According to th	e EG-Machinery Directive 2	2006/42/EG, annex II B and amendments		
Manufacturer:	RUD Ketten Rieger & Dietz Grr Friedensinsei 73432 Aalen	nbH u. Co. KG		
as mentioned below, con health of the correspond mentioned harmonized of	rresponds to the appropriate ling EG-Machinery Directive and national norms as well	ecause of its design and construction, e, basic requirements of safety and \$200642E6 as well as to the below as technical specifications, aing agreed upon with us, this declara-		
Product name:	Load ring. VRBS / VRBG / VRBK / VRBSS			
The feller less have release	d norms were applied:			
The following narmonize	EN 12100-1	EN 12100-2		
	EN 14121-1	EN 1677-1		
The following estimates	orms and technical apacification	tos were englist		
	BGR 500, KAP2.8			
	-			
Authorized person for th	e configuration of the declarat Reinhard Smetz, RUD			
		2		

WELD ON LIFTING POINT - VRBK LOAD RING




User Instructions - Part 2

- **1.** Reference should be made to relevant standards and other statutory regulations. Inspections should be carried out by competent persons only.
- **2.** Before installing and at every use, visually inspect RUD lifting points, with particular attention to any evidence of weld cracks, corrosion, wear, deformations, etc.
- **3.** The material construction to which the lifting point will be attached should be of adequate strength to withstand forces during lifting without deformation. The contact areas must be free from inpurities, oil, colour, etc. Preheat the structure according to AS 1554 if required.

The material of the forged welding block is S355J2+N, St52-3, B.S. 4360.50 D or AlSI 1019 (≈AS3678 GR350).

- **4.** The lifting points must be positioned on the load in such a way that movement is avoided during lifting.
- a.) For single leg lifts, the lifting point should be vertically above the centre of gravity of the load.
- b.) For two leg lifts, the lifting points must be equidistant to/or above the centre of gravity of the load.
- c.) For three and four leg lifts, the lifting points should be arranged symmetrically around the centre of gravity in the same plane.
- **5.** Load Symmetry: The working load limits of individual RUD lifting points are calculated using the following formula and are based on symmetrical loading:



NOTE: For WLL Calculations

- ß angle is taken from the vertical plane.
- Included angle is the angle between the sling legs.



- **6.** Safety: When lifting points are used in a multileg assembly, care should be taken to calculate the WLL (Working Load Limit) due to the deration caused by forces acting in multiple directions. The reduction in WLL (Working Load Limit) for multileg assemblies should be checked with relevant Standards e.g. AS 3775-2004 Chain Slings-Gr t (8)
- The lifting points should be mounted in such a way that they may easily be accessed for inspection and assembly/ disassembly of the sling.
- **7.** All fittings connected to the VRBK should be free moving. When connecting and disconnecting the lifting means (sling chain) pinches and impacts should be avoided. Damage of the lifting means caused by sharp edges should also be avoided.

- **8.** The complete design can be stress relieved onetime in an unloaded condition up to <600°C, without reduction of WLL.
- **9.** At outdoor sites or in case of special danger of corrosion, the welds should only be designed as continuous, fillet welds. The HY weld at the VRBK guarantees a connection via the whole cross section of the material. This corresponds to a closed weld showing no signs of corrosion.
- **10.** The distance lugs assist in achieving the correct root weld (approx. 3 mm = 0.1 inch). They should not be removed.
- **11.** RUD-Lifting points must not be used under chemical influences such as acids, alkaline solutions and vapours e.g. in pickling baths or hot dip galvanising plants. If this cannot be avoided, please contact the manufacturer indicating the concentration, period of penetration and temperature of use.
- **12.** If the lifting points are used **exclusively** for lashing the value of the working load limit can be doubled. $LC = 2 \times WLL$
- **13.** After welding, an annual inspection or sooner if conditions dictate should be undertaken by a competent person examining the continued suitability. Also inspect after damage and special occurrences.

Inspection criteria regarding paragraphs 2 and 13:

- · The lifting point should be complete.
- The working load limit and manufacturers stamp should be clearly visible.
- Deformation of the component parts such as body and load ring.
- Mechanical damage, such as notches, particularly in high stress areas.
- Wear should be no more than 10% of cross sectional diameter.
- · Evidence of corrosion.
- · Evidence of cracks.
- · Cracks or other damages to the welding.

Any non-adherence to this advice may result in damages of persons and/or materials!

WELD ON LIFTING POINT - VRBK LOAD RING




User Instructions - Part 3

WORKING LOAD LIMITS (G - in tonnes)						
	Single Leg	2 , 3 or 4 Legs				
PRODUCT DESCRIPTION	Ġ G					
=====================================		60°	90°	120°		
		Maximum Included Angle				
VRBK - 4	4.0	6.9	5.6	4.0		
VRBK - 6.7	6.7	11.6	9.4	6.7		
VRBK - 10	10.0	17.3	14.1	10.0		

Table1

WELDING SIZE						
	size	volume approx cm³				
VRBK 4 t	(HY) 4 + (a) 3	3.2				
VRBK 6.7t	(HY) 5 + (a) 3	6.0				
VRBK 10 t	(HY) 8 + (a) 3	11.0				

Table 2




The welding should only be carried out by an authorised welder, according to AS1554 or EN287 or relevant AWS Standards.

- 1 Prepare surface and ensure all contact areas are clean. Check preparation and welding consumables for
- 2 Position both blocks and check the clearance. The distance lugs assist in achieving the correct gap for the root run. Lugs must not be removed! Welding of the block: Tac weld blocks into position with minimum clearance to the load ring. Check for full rotation of the load ring.
- 3 Start welding the root run and subsequent runs at point 'S' (see indication above). Carefully clean the root run before carrying out subsequent runs.
- 4 Apply fillet weld size "a" (see above table 1). The welding process must not be interrupted for such a time that the welding blocks lose the welding temperature.

Attention: Do not weld at the pink powder coated, heat treated load ring.

Note: Dimension "a" is weld throat size.



Туре	WLL (t)	Α	В	С	D	Е	F	Т	Weld.	Weight (kg)	RefNo.
VRBK 4	4	32	16	30	48	138	30	67	HY 4 + 3	1.1	7992879
VRBK 6.7	6.7	37	20	35	60	176	34	86	HY 5 + 3	2.1	7992880
VRBK 10	10	50	22	48	65	208	46	100	HY 8 + 3	4.3	7992881

Table 3

WELDING PROCESS					
MILD STEEL / LOW ALLOYED STEEL					
MIG GAS SHIELDED WIRE WELDING	AWS A5.18 eg: WIA - Austmig ES6 or Hobart XL 525) or equivalent. (Flux Cored for material >24mm).				
MMA MANUAL ELECTRIC WELDING	AWS A5.5: E8018-G. AWS A5.1: E7018. eg: WIA - Austarc 18TC or Weldwell PH77 or equivalent.				
NB. Please refer to the consumables manufacturer for user instructions and further information.					

Table 4





